


Security Management System from Inner Range Simply Brilliant






Integriti Introduction For System Integrators



- New seamless IP based Multi-Controller system architecture
- Simplified software set up with Auto Discovery of system hardware
- Unprecedented scale and flexibility for user permissions
- Gigabytes of on board memory at Controller hardware level
- Ethernet port, USB master and slave ports on board for all Controllers
- Powerful new ARM processors on all hardware
- Backwardly compatible with Concept LAN modules *See compatibility guide page 3
- Upgrade firmware in Controllers and new LAN modules remotely over the wire
- New easy plug and play in-cabinet UniBus for adding expansion and functionality
- Incredible forensic Audit Trail tracks all software changes
- Amazing, powerful Scripted Logic capability



"Integriti is a true Enterprise solution controlling thousands of doors and zones across multicontroller IP networks"



The new Integriti Technology Platform is the result of more than 20 years of continuous industry participation and product development by the people at Inner Range.

Just like its famous predecessor, the Concept 4000, we believe that Integriti sets new industry standards and we are confident that it has the capacity to offer real solutions in today's exciting yet demanding technology environment.

With big new processors and memory capacity, Integriti hardware is IP ready to deliver on its promises, while the new Integriti software is fully compatible with cluster server architecture and virtual computing environments. Let them specify, Integriti will tick the box on almost every disaster recovery strategy.

Talk about enterprise with a capital E. The design maximums inherent in the engineering philosophy of the Integriti Technology allow for tens of thousands of doors and millions of users. Even scenarios with hundreds of thousands of users and millions of historical review events stored at hardware level are possible.

Current Deployment Architecture



Integriti with Concept 4000 Modules Integriti Security Controller ISC

The Integriti Security Controller (ISC), provides intelligence and control for a cluster of LAN Modules.

Overview of ISC Features

32 Bit ARM CPU
Ethernet on board
64 MB RAM
2 GB Micro SD on board
Smart Card Licensing
USB Master & Slave
UniBus Peripheral Interface
Firmware Upgrade via LAN or Software
Smart Phone Control with Integriti Mobile App
Intelligent Power Control via Smart Fuses



Integriti Prisma Keypad

The Integriti Prisma Keypad provides a stylish and simple keypad to control the Integriti system. End users can perform simple functions such as arming and disarming areas, locking or unlocking doors, and reviewing event history all accessible via the full colour graphic display. Installers also have the ability to program many of the major features of the Integriti system from the convenience of a Prisma Keypad.



Integriti with Concept 4000 Modules

Integriti is a commercial system ready for deployment now. The Integriti architecture supports dozens of Controllers connected via IP, plus RS485 LANs off each Controller. An Integriti system deployed today consists of the Integriti Express or Professional Software Suite, Integriti Security Controllers (ISC's), Integriti Smart Phone App for Apple devices, Integriti Prisma Keypads, Integriti SALTO 8 Door Interface Modules, UniBus 8 Zone Expanders, UniBus 8 Relay Expanders, UniBus RS232/ RS485 UART's, Integriti 2Amp SMART PSU's, Concept 4000 Door Access Modules, Elite Terminals, and Expander Modules.

| Concept LAN Module | Integriti Compatible | Notes |
|--------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Elite Terminal | Yes | End user control supported, standard system programming supported. Advanced system programming such as macros is not supported |
| Concept Prisma Keypad | Yes | Requires factory firmware upgrade |
| Concept Touch Screen | No | Concept Touch Screens are not currently compatible, but future releases of the Integriti Controller may support the Concept Touch Screen pending market demand |
| Concept Weatherproof Terminal | Yes | |
| Concept Terminal Emulator | Yes | |
| Universal Expander | Yes | |
| Mini Expander | Yes | V6.0 or newer firmware required |
| RF Zone Expander for Paradox & Visonics | Yes | |
| 2 Door Access Module | Yes | |
| 1 Door Access Module | Yes | |
| Intelligent Two & Four Door Access Modules | Yes – Compatibility Mode Only | Concept Intelligent Access Modules can be used in Integriti compatibility mode with a firmware update. Compatibility mode has limited offline functionality |
| Concept Analogue Module | Yes | V5.20 or newer firmware required |
| Concept LAN over Ethernet Module (CLOE) | Yes | |
| Fibre Modem | Yes | |
| LAN Isolator | Yes | |
| Multipath IP Fields STU | Yes | The Integriti ISC Controller has a dedicated Multipath IP interface on board |
| Concept LAN Power supply | Yes | |

Deployment Architecture



The Range of Integriti Modules

Many Integriti modules are now available and many more are scheduled for release in the coming months. The complete range of Integriti LAN and expansion modules will offer enhanced functionality over and above Concept 4000 modules including:

Over-the-wire firmware updates, Smart Fuses and enhanced system commissioning functionality. There are two kinds of modules, Integriti RS485 LAN modules and Integriti UniBus modules.

"UniBus is an innovative in-cabinet bus which allows the connection of Expansion modules, Communications modules and Door & Reader modules on a common Plug & Play bus. UniBus is built on the highly reliable CANBus technology and replaces the need for ribbon cables and specialised connectors"



Integriti Mobile Get the App for iPad & iPhone





| Integriti | Zones | Aux | Doors | Readers | Power Supply | Ethernet | Ports |
|---------------|---------------------|--------------------|--------------------|-------------|---------------|----------------------|-------------------|
| Controller | | | | | | | |
| Integriti ISC | 16 Expandable to 32 | 2 Expandable to 32 | 240 Per Controller | 480 Via LAN | 2AMP on board | 1 RJ45 Ethernet Port | 1 USB Master |
| Controller | via UniBus | via UniBus | Via LAN | | | on board | 1 USB Slave |
| | Max 3000 via LAN | Max 3232 via LAN | | | | | 1 RS232 Multipath |

| Integriti LAN Modules | Zones | Aux | Doors | Readers | Power Supply |
|----------------------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------|
| SALTO SALLIS 8 Door Interface | - | - | Up to 8 SALTO SALLIS doors connected via SALTO RS485 LAN | Up to 8 SALTO SALLIS Readers connected via SALTO RS485 LAN | Optional 2, 3 or 8AMP via External PSU Connector |
| ** Intelligent 2 Door Access Module (Expandable to 8 Doors) | 8 Door Inputs - Expandable to 32 Via UniBus | 8 Door & Reader Outputs Expandable to 32 Via UniBus | 2 Expandable to 8 Via UniBus | 2 Expandable to 16 via UniBus or RS485 Reader Inteface (OSDP) | Optional 2, 3 or 8AMP via External PSU Connector |
| **Cached 2 Door Access Module 2000 User dynamic smart cache | 8 (Door Inputs) | 8 (Door & Reader Outputs) | 2 | 2 Expandable to 16 via RS485 Reader Inteface (OSDP) | Optional 2, 3 or 8AMP via External PSU Connector |
| **8 Zone Expander | 8 Expandable to 32 Via UniBus | 2 Expandable to 32 Via UniBus | - | - | Optional 2, 3 or 8AMP via External PSU Connector |

| Integriti Unibus Modules | Zones | Aux / Ports | Doors | Readers | Power Supply |
|---------------------------------------|-----------------|--------------------|-------|---------|--------------------|
| UniBus 8 Zone Expander | 8 | - | - | - | Powered Via UniBus |
| UniBus 8 Aux Relay Card (Lo Current) | - | 8 | - | - | Powered Via UniBus |
| UniBus 2 Port RS232 / RS485 UART | - | 2 x RS232 / RS485 | - | - | Powered Via UniBus |
| **UniBus 2 Door Interface Card | 8 (Door Inputs) | - | 2 | 2 | Powered Via UniBus |
| **UniBus 2 Reader Interface Card | 2 | - | - | 2 | Powered Via UniBus |
| **UniBus Additional Ethernet Port | - | RJ45 Ethernet Port | - | - | Powered Via UniBus |
| **UniBus Advanced Analogue Input Card | 4 | - | - | - | Powered Via UniBus |

| Power Supplies | Supply Volatge | Output Current | Dedicated Batt Charge Current | Output Voltage | PSU & Batt Monitoring |
|----------------------------------|----------------|--------------------|----------------------------------|----------------|------------------------------------------|
| 2Amp SMART Power Supply | 16V AC | 2AMP | Included in total Output Current | 13.8V DC | Via any Module with EXT PSU Connector |
| **3Amp SMART Power Supply | 16V AC | 3AMP | Included in total Output Current | 13.8V DC | Via any Module with EXT PSU Connector |
| **8Amp + 2Amp SMART Power Supply | 240V AC 50Hz | 8AMP + 2AMP (Batt) | 2AMP + | 13.8V DC | Via any Module with EXT PSU Connector |

System Management Software Suite



Software

The Integriti System Management Software Suite is a true enterprise class solution, designed from the ground up for the internet age. Leveraging the very latest platforms and technologies, Integriti software is a world-class product that packages guaranteed reliability, scalability and performance, delivered in a way that will change the game forever!

As a native 64-bit cluster-aware application, Integriti software adheres to current IT industry best practices, enabling system administrators to leverage the very latest computer hardware and virtual machine environments, without restrictions, without caveats and without excuses.

The Integriti System Management Software has been designed to make the task of commissioning Multi-Controller systems as easy as possible, with automatic discovery of Controllers and LAN modules followed by a one click enrolment.

User programming offers spectacular flexibility with features like nested user types, granular additional permissions and virtually unlimited permission groups, and that is just the beginning! Large numbers of doors and areas can be assigned directly to individual users or alternatively multiple lists and groups can be employed without restriction.



User specific Allow or Deny options are available on most system entities and the ability to qualify permissions using the state of almost any object in the system will allow system administrators to program permissions using simple who, what and when access rules.



Programming the Integriti software is a system centric experience. Rather than simply mirroring the Controller database, the Integriti Software adopts a world-first "top-down" approach to system programming, employing sophisticated algorithms (instead of manual mapping tables) to automatically convert the system administrator's intent into low-level Controller programming.

Whether a system has one Controller or one hundred Controllers, simply program users and doors as required and the software manages the data stream to individual Controllers invisibly to both the installer and the end user.

The software view of the system operation can be totally customised on a per operator basis, allowing the re-arrangement of the display and all objects in the system. The software also allows all automated tasks to be scheduled.

The software incorporates a forensic Audit Trail that tracks and timestamps every programming change made in the system. Programming changes can be rolled-back and re-created as they were at any time in the past.


Unbelievably powerful new script based macro logic will empower system designers to deliver simple solutions for very sophisticated problems. Dynamic Input and Output analogue values can be passed around the system and incorporated into any of the macro logic activity.

High Level CCTV integration is available and almost all of the interfaces already developed for the Insight product suite are supported.

Drawing on Inner Range's 20 years of experience in designing continent-spanning multi-site access control and intruder systems, the Integriti System Management Software takes the next step in enabling system administrators to take charge of large complex systems.

The new Integriti Technology Platform

....ENJOY!



Ordering Information



Integriti hardware is now available for purchase from your local Inner Range Distributor. Integriti Security Controller (ISC) licenses are available to expand the number of Doors, Users, Zones and Review Events. Licensed Level upgrades are described in the table below. Integriti Professional Software supports 16 doors, with additional door licenses above 16 doors purchased separately. Please contact your distributor or our Integriti specialists for assistance with quoting your first Integriti system.

For more information on Integriti please contact:

Inner Range Integriti Product Specialist

Rusty Blake Mobile: 0439 326 757 russell.blake@innerrange.com

CSD Integriti Product Specialist

Ash Ramanayake Mobile: 0428 538 330 ash.r@centralsd.com.au





| Description | Part Number |
|---------------------------------------------------------------------------------------------------------------|-------------|
| INTEGRITI SECURITY CONTROLLER HARDWARE (ISC) | PART NUMBER |
| Integriti ISC Controller in Medium Enclosure with Transformer (16 Doors, 200 Users, 100 Zones, 10,000 Events) | 996001AUPS |

| CONTROLLER HARDWARE SMART CARD LEVELS | PART NUMBER | CONTROLLER HARDWARE SMART CARD OPTIONS | PART NUMBER |
|-------------------------------------------------------------------------------|-------------|-------------------------------------------|-------------|
| ISC Level 1 Smart Card, 40 Doors, 200 Zones, 2,000 Users, 20,000 Events | 996020L1 | Blank Smart Card (Serialised) | 996020 |
| ISC Level 2 Smart Card, 80 Doors, 600 Zones, 10,000 Users, 30,000 Events | 996020L2 | Smartphone Interface (Allows 5 Devices) | 996021 |
| ISC Level 3 Smart Card, 160 Doors, 2,000 Zones, 65,000 Users, 60,000 Events | 996020L3 | BMS Automation HLI | 996022 |
| ISC Level 4 Smart Card, 240 Doors, 3,000 Zones, 100,000 Users, 100,000 Events | 996020L4 | EMS Lift Integration HLI | 996023 |
| | | SALTO Door Integration License (Per Door) | 996024 |

| UNIBUS MODULES | PART NUMBER | RS-485 LAN MODULES & POWER SUPPLIES | PART NUMBER |
|---------------------------------------|-------------|----------------------------------------------------------|-------------|
| UniBus 8 Zone Expander | 996500PCB&K | SALTO SALLIS 8 Door Interface - PCB | 996015PCB&K |
| UniBus 8 Aux Relay Expander | 996515PCB&K | SALTO SALLIS 8 Door Interface in Small Powered Enclosure | 996015AUPS |
| Unibus 2 Channel RS-232 / RS-485 UART | 996520PCB&K | Integriti SMART PSU 2Amp - PCB | 996090PCB&K |

| KEYPADS | PART NUMBER |
|-------------------------------------|-------------|
| Prisma Keypad for Integriti – WHITE | 996000 |

| INTEGRITI SOFTWARE PRODUCT KEYS | PART NUMBER |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Integriti Professional PRODUCT KEY - Includes Pro Software, 1 x ISC Connection, 1 x Client, 16 Doors (Software via web download & Key delivered by IR KeyPoint) | 996901 |
| Integriti Express PRODUCT KEY - Includes Express Software, 1 x ISC Connection, Server Only, 16 Doors (Software via web download & Key delivered via IR KeyPoint) | 996905 |
| Integriti Express to Professional Upgrade - (Key delivered via IR KeyPoint) | 996905UPG |
| Integriti CS - Integriti Commissioning Software (Available for factory certified Integriti installers with a KeyPoint account) | N/A |

| INTEGRITI PROFESSIONAL SOFTWARE ADDITIONAL LICENSES | PART NUMBER |
|---------------------------------------------------------------------------|-------------|
| Integriti Allow Remote RDP connections | 996909 |
| Integriti Additional Workstation/Client Key - For "FIXED" Workstations | 996910 |
| Integriti Additional Workstation/Client Key - For "FLOATING" Workstations | 996911 |
| Integriti Additional ISC Controller Key - For enrolling extra Controllers | 996912 |
| Integriti CCTV Integration - Initial 32 Cameras | 996920 |
| Integriti CCTV Integration - Extra 8 Cameras | 996921 |
| Integriti PhotoID | 996922 |
| Integriti Advanced Reports | 996923 |
| Integriti User Qualification Manager | 996924 |
| Integriti Advanced Alert - Alarm event & Escalation Manager | 996925 |
| Integriti Communicator - Email & SMS communications | 996930 |
| Integriti Professional - Extra Door Key - Per Door | 996940 |
| Integriti XML READ - 3rd Party Interface | 996950 |
| Integriti XML WRITE - 3rd Party Interface | 996951 |
| Integriti XML CONTROL - 3rd Party Interface | 996952 |
| Integriti Dynamic User Import Module DUIM | 996955 |